
START HERE




Remove the used reservoir from the pump.

Select Rewind.




FILL RESERVOIR & CONNECT TO THE INFUSION SET TUBING


Follow the next steps to fill reservoir with insulin and connect to the infusion set tubing.




Remove from package. Make sure insulin vial is at room temperature to reduce the risk of air bubbles.



Pull plunger down to the amount that you plan to fill with insulin.




Wipe vial with alcohol. Place vial on table. Firmly press the blue transfer guard onto vial.



Push and hold plunger down.

1

WARNING If insulin or any liquid gets inside the tubing connector, it can temporarily block the vents that allow the pump to properly fill the infusion set. This may result in the delivery of too little or too much insulin, which could cause hyperglycaemia or hypoglycaemia.



With your thumb still on the plunger, flip over so vial is on top. Release thumb and pull plunger down to fill with insulin.



Tap the reservoir to move air bubbles to top of reservoir. Push plunger up to move air into vial.



If needed, pull plunger back down to amount of insulin needed for 2-3 days.


3



To avoid getting insulin on the top of the reservoir, turn vial over so it is upright. Hold transfer guard and turn reservoir counterclockwise and remove from transfer guard.

CONNECT RESERVOIR TO INFUSION SET

You will place the tubing connector onto the end of the infusion set to the filled reservoir.



Remove infusion set from package. Remove the paper that holds the tubing together.



Gently push the tubing connector onto reservoir. Turn clockwise until locked. You will hear a click.




8

If you see air bubbles, tap reservoir to move them to top. Push plunger just a bit to move them into tubing.

Load Reservoir	
Enter BG	
Basal	
Audio Options	8
Status	Ë
Suspend Delivery	

Select **Load Reservoir** from the menu.



Twist plunger counterclockwise to loosen and remove.

N	ew Reservoir
2 D	Fill reservoir. Connect tubing to reservoir O NOT CONNECT TO ODY.
	Next

Select **Next**.

2

THE BACKLIGHT MAY HAVE TURNED OFF Press any button to turn

the screen back on

BG
--- mg/dL
Active Insulin
0.0 U
Load Reservoir

Press O to open the menu. If the pump is locked, you will need to unlock the pump after pressing O. 2

PLACE RESERVOIR INTO PUMP

Now place the filled reservoir into the reservoir compartment of the pump.



Place reservoir into pump.

LOAD RESERVOIR AND FILL TUBING

Follow these steps to load the reservoir and fill the tubing.






Select Load and keep holding O.

INSERT INFUSION SET

Next, follow the steps to insert the infusion set into your body.





select Next

Place the MiniMed Quick-serter insertion device onto a sturdy flat surface with handle facing down. Place blue hub into serter, placing the handle in the tubing slot.




Turn clockwise until you feel

reservoir lock into place.

Use two fingers to seat the infusion set inside the serter securely and gently push down.



Peel the paper from the adhesive on both sides of the needle guard.



Select **Fill** and keep holding **O** until you see drops at the end of tubing, then let go.

After you see drops, press > and select Next.

New Reservoir

Select Next

and lock.

BODY.

3. Place reservoir into pump


Next

DO NOT CONNECT TO

3



Pull green handle down until it clicks. The two **green** side buttons will also click into place. Do not press the **green** side buttons at this time.



The best areas of the body to insert the infusion set are shown in the shaded areas of this drawing. Choose areas that are away from the natural bend of your waist or belt line of your pants. Avoid areas of hard or scar tissue. Consult with your healthcare provider on appropriate areas to insert your infusion set. Wipe with alcohol or other antiseptic.


9



Turn to loosen needle guard and pull.




Hold serter against cleaned site.




5

Press the two **green** side buttons at the same time. If they are not pressed at the same time the infusion set will not insert properly.

Press down the release button of the serter to release the infusion set.



Pull serter away from body. Press adhesive against skin.



Hold infusion set. Pull **blue** handle straight out to remove needle.



2


Fold **blue** handle until locked.



4

FILL CANNULA

You will now fill the cannula, the little tube under your skin, with insulin.



Your infusion set change is now complete!